ISO 14001:2015

ENVIRONMENTAL MANAGEMENT SYSTEM IMPLEMENTATION

[AT A GLANCE]

(

BACKGROUND

Many small and medium sized suppliers may not feel prepared, or have the level of resources necessary, to implement all requirements of ISO14001 for establishing an Environmental Management System (EMS) conforming to the Standard

By not taking steps towards implementation of an ISO14001-conforming EMS, these suppliers may have increased supply chain risks and not realised opportunities for improving environmental protection and cost reduction. shared opportunities.

ISO14001 requires a greater focus on supply chain outsourced processes and procured goods and services; companies are looking to work more closely with their suppliers to understand environmental risk and develop

0 **OBJECTIVE**

Encourage the wider uptake of EMS at an appropriate level based on supplier size and environmental risk in a cost effective, consistent and supportive manner.

DENTIFY AND MONITOR REGULATORY REQUIREMENTS ਜਿਜ \bigcirc ENVIRONMENTAL RISKS \bigcirc AND RESPOND TO OPPORTUNITIES FOUR MATURITY LEVELS with EMS components at each level

EMS MATURITY FRAMEWORK

Consists of a phased approach to ISO14001 requirements and Key Performance Indicators for the aerospace supply chain







ENVIRONMENTAL MANAGEMENT SYSTEM: GETTING STARTED

IAEG has developed an EMS Maturity Framework to support the uptake of Environmental Management Systems by IAEG members and by entities throughout its members' value chains. It is available in the 'EMS and ISO14001' pages on <u>www.iaeg.com.</u>

AWARENESS

ISO 14001:20 ENVIRONMENT	and the states of the states o		
SYSTEM IMPLEMENTATI	DNI -		
		ZXN	
Additional best practices and guidance document that can be used by the bold and by intelement or uncoucle	Nation of States		
anticolevental hanaganami sultana to the 501408 2015 zandarij Avalidole to Endon Panoh, Carmon Portunuza		BENEFITS	
and Spanish on the MSS and alle		Constrained for	a a
	OUR OBJECTIVE		40
PHASE 2 - EMS MATURITY FRAMEWORK DEVELOPMENT	Encourage the wider-sphale of DHS at an appropriate fewer/board optimizers and antimimmental risk in a cost affection,	e T	(3) HEDDER
the resources to establish an effective BHS and may be size-readily the full requirements of 627(420) • This are easily in increased previous state and	MORE DETAIL	server 🚯 🙆 su	
 sensitive and opportunities for impriving an intermental protection and cost voluction in the Aerospace Industry 522 1600 2213 requires a greater focus on supply chain 	75:		
instances of processes and proceed grants and services, comparises are locking to sork more decady with their suppliers to indectand environmental roll and to decade there are an another their services.			
	ALG	ISO	
		WORLD-CLASS	
	NEXT STEPS	LEADING	 Four Maturity Issues with EMS components at each lowar
	Alignment of a faceal approach to 507487-30	ADYANCED	+Expectations based on the size
	expression to control with the requirements and flag. Performance Indications for the shade astronometry to provide a	FOUNDATION	nd profession nd public of the congeny

Communication Materials

The communication material includes this <u>flyer</u> and an awareness <u>video</u> introducing the IAEG EMS Maturity Framework.

REQUIREMENTS

	AL GROUP	and the second	
Environmental Manage Maturity Framework	ment System		
26. July 2029		Rectard	
Tersion 7			
The document is released for the purposes of supporting management systems, development of their maturity, an	inglementation of environmental orthogogenent against (ICS&IDS		Received.
requirements. It can also be used by companies to establish their supplies. Any further distribution or use resultes the written come			emplance risks (as per 521400).
copyight statement below.			merial megroy shatters,
0.2029 (MEG*			
The international Auropace Environmental Group* ("VAE4" matchini may not be used for any purpose other than that express written consent of VAE4" will accept no failed bits material including without binitation any direct, believed, demagen, toor of disk, science, writt or advection. The other	for which it is provided without the ity for any demages from any use of incidental, special and consequential anages to encountry or clams of their		one in the foundational DMs, but, impacts can support metwing
parties. UKO* reserves the right to add to, change or delete it notice.	content or any part there if without		45 KPs are in place time section generated, number of incidents.
THIS DOCUMENT IS INCUDED IN WITHIN THOM, MINORAL PARTY HOR INFORMATIONAL FUNDOLS DALX. DETERMINE TO USE ALL OR ARE FOR TO/CO OF THIS DOCUMENT OF TO DIE DOCUMENTS. PRIOR TO SUPPORT TO SUPPORT	INDE OF INVESTIGE AND/OR HOW INDE IN YOUR SOLE AND ABSOURT	40° 9 10 10	igst compliance obligations. See reliaten in compliance with legal
WITH YOUR OWN USGAL COUNSEL. NO PART OF THIS BOOM ADVICE. USE OF THIS BOOMENT IS VOLUMENT. WAS DOE REPRESENTATIONS OF WARMANTIES WITH RESPECT TO THIS			a stanuty connuctand. Top
			Conquiruments have the training communit of such responsibilities.
			Inquinters, (Miniput
			automet spatial hundational d'training records al employees

EMS Maturity Framework (Requirements)

The <u>EMS Maturity Framework</u> describes 4 different levels of maturity of Environmental Management Systems. It provides a means for companies to effect a step-by-step approach, or evolution, towards an EMS covering all ISO14001 requirements.

IMPLEMENTATION



EMS Maturity Framework Resources & Examples

The <u>Resources and Examples</u> provide information for each of the EMS elements which can be used to assure status at an existing maturity level, or to evolve towards the next EMS maturity level, for example, from 'Advanced' to Leading EMS level'.

VERIFICATION



Verification Tool Kit

The <u>Verification Tool Kit</u> provides a requirements conformity checklist, guidance on assessor qualifications, templates for self-declaration and 3rd party verification statement.



RECOGNITION



Publication Process

The <u>Publication Process</u> describes how to communicate information about the EMS maturity level of your company, e.g. on iaeg.com